



SEKHUKHUNE
District Municipality

Private Bag X8611 Groblersdal 0470, 3 West Street Groblersdal 0470
Tel: (013) 762 7300, Fax: (013) 262 3600
E-Mail: sekinfo@sekhukhune.co.za

PUBLIC NOTICE: SK-8/2/1-064/2025/2026

IN TERMS OF SEKHUKHUNE DISTRICT MUNICIPALITY SUPPLY CHAIN MANAGEMENT POLICY, QUOTATIONS ARE HEREBY INVITED FROM ELIGIBLE AND INTERESTED COMPANIES, CONSORTIUM OR JOINT VENTURES TO APPOINT SERVICE PROVIDER TO REPLACE RESCUE TOOLS' BATTERIES AND CONVENTIONAL BATTERY FOR GENERATOR

SPECIFICATION:

Item	Item code	Description	Quantity
1	CS001	E2 220V Charger	05
2	CS001	E2 5A/H battery	05
3	12N7-3B	Conventional generator	01

Fully Completed quotation documents, Priced, and initialed each page must be placed in a sealed envelope and marked **(REQUEST FOR QUOTATIONS TO REPLACE RESCUE TOOLS BATTERIES AT A.B SEKHOSANA FIRE STATION INSIDE CANTEEN)** deposited in a tender box at Groblersdal Fire Station by no later than 11h00 on **22 June 2026**. No compulsory briefing session will be held. For further information, contact **Voster Masemola** of SCM on 013 262 7656 or **Mashupyi Puane** of Emergency Services on 013 262 7300.

Please note:

The following returnable documents are compulsory and will lead to disqualification if not attached.


- Tax Compliance Status Pin/Tax Clearance Certificate
- Valid Copy of Company Registration documents
- Original Certified ID copies of Directors (Not older than 3 months)
- Proof of municipal rates and taxes for both company and Director(s) not in arrears for more than three months or proof of lease agreement including rates for the landlord. In case the Company or Director is registered in a rural area where the rates are not paid, please attach proof from Local Authority and affidavit under oath indicating that there are no municipal rates payable.
- MBD 4, MBD 8, MBD 9 and MBD 6.1 forms must be signed and attached with quotation.
- CSD Summary Report.
- Any alterations must be signed. ((NB: not initialed))


- No late bids will be accepted.

Evaluation Criteria

- A preferential points system shall apply whereby the points will be allocated in accordance with the Preferential procurement Regulations of 2022, where 80 points will be allocated in respect of price and 20 points in respect of preference points claimed for attainment of other specified goals summarized as follows:

HDI SPECIFIC GOALS	
HDI (Blacks, Indians and Coloureds)	POINTS
Woman-Ownership of more than 50%	12
Disability ownership of more than 50% (Physically impaired)	2
Youth	2
Locality	2
Total	2
	20


Mr. KGWALE M.M
MUNICIPAL MANAGER


Date

SPECIFICATION

	Description	Size	Quantity
	Battery Charger: Input Voltage: 220-240V AC, 50-60Hz Output Voltage: Variable depending on model L1810 / L1830: 7.2V – 18.0V DC L2410 / L2430: 2.4V – 28.8V DC Charging Current: max. 3.0 A Float Charge: 30 mA Energy Absorption: Standby < 1W, max. 70W Battery Compatibility: 1.5 Ah (2 cells) to 7.5 Ah (21 cells) Charging Time: 30 to 150 minutes (depending on battery capacity) Operating Temperatures: +5°C to 40°C Dimensions: ~152 x 86 x 76 mm or ~150 x 85 x 75 mm (depending on the housing)	220-240-Voltage	5
2	Battery Voltage: 12 V Capacity: 5Ah Dimensions: approximately 90 mm x 70 mm x 101 mm (or 3.54 x 2.76 x 3.98 inches) Terminals: generally, use F1 or F2 spade connectors (F2 is 0.250")	5A/H	5
3	Conventional battery Voltage: 12V Capacity: 7.0 Dimension: -135 mm (L) X 75 mm (W) X 135 mm (H) Weight: - 2.5 to 2.9 kg Polarity: right hand positive (RHP) Terminal Type: M06	12N7-3B	1