

Private Bag X8611 Groblersdal 0470, 3 West Street Groblersdal 0470 Tel: (013) 262 7300, Fax: (013) 262 3688 E-Mail: sekinfo@sekhukhune.co.za

PUBLIC NOTICE: SK-8/2/1-056/2024/2025

IN TERMS OF SEKHUKHUNE DISTRICT MUNICIPALITY SUPPLY CHAIN MANAGEMENT POLICY, QUOTATIONS ARE HEREBY INVITED FROM ELIGIBLE AND INTERESTED COMPANIES, CONSORTIUM OR JOINT VENTURES WITHIN SEKHUKHUNE DISTRICT REGION TO APPOINT SERVICE PROVIDER TO SUPPLY AND INSTALL DISTRICT WELOME & THANK YOU SIGNAGES.

#	Boards(Bordersign 2000x2500mm, Class 3)	Quantity	Description
2	Welcome To Sekhukhune District Municipality Fetakgomo Tubatse Local Municipality Platinum Stream Tourism Route Welcome To Sekhukhune District Municipality Elias Motsoaledi Local Municipality Mafulo a Matala Tourism Route Thank You for Visiting Sekhukhune District Municipalityy	1 2	 Scope Supply,fabrication,delivery and installation of four(4) border signs (Code GL5),each 2000 mm H x 2500 mm W. Signs to be manufactured from 200 mm chromadek profiles,1mm thickness,surface to be flat with <4mm tolerance,3mm radius Includes unistruts and clamps (galvanized steel SABS certificate to be supplied) Signs to be mounted on CCA-treated timber poles (SABS certificate tbe supplied)
29	mpulsory briefing session will be held in Dennilton May 2025 at 10:00 AM 5,3084620, 20,1513150 (R25)	on on the	 Retro reflective metarial to be Class 1 retro reflective (SABS certificate to be supplied) Works to comply with SANS 10438,SANS 1519 part 1 & 2 (Road traffic Signs),SANS 1911,and relevant SABS materials and safety standards.

Reference & standards

- SANS 10438: Road Traffic Signs __Materials,retroreflection and perfomance .
- SANS 1519part 1 &2 Retro reflective materials for road signs .
- SANS 1911:Code of practice for erection, maintenance and removal of traffic signs.
- ASTM D4956 Type III:Specification for retroreflective sheeting (for class 3)
- SABS 763 (Chromadek): Pre-painted steel substrate .

Sign Face& Substrate

- **Substrate**: 1.0 mm pre-painted Chromadek steel panels,minimum 200mm return edges.
- Protective coating: polyester finish both sides, UV-stabilized.

Retroreflective Sheeting

- Type :Class 3 (microprismatic) retroreflective sheeting, white background and 200 mm border band.
- Manufacturer's certification: Sheet to meet or exceed SABS III Class lumions intensity and durability.

Graphics

- Print: Digital UV-cured ink,matt black(RAL 9005) legend and symbol graphics,directly printed to retroreflective sheeting
- Resolution: Minimum 600dpi, fade-resistant.

Panel Cutting & Edge Forming

- Cut steel panels to 2000 x 2500mm +/- 1mm.
- For 200 mm returns on all edges to create a rigid "tray" profile.

Sheating & Graphics Apllication

Clean and degrease steel surface.

 Apply Class 3 retroreflective sheeting per manufacturer's instructions, ensuring no entrapped air or wrinkles. Print matt-black graphics directly onto sheeting . Trim and seal edges with UV-stable edge sealant .
 Drilling & Fit-Off Pre-drill mounting holes to align with Unistruct channels, ensuring 50mm minimum edge distance. Deburr all cut edges and holes .

Installation

Description	Quantity	Board	Location
Pole Foundations • Excavate holes 800 mm deep, diameter 300 mm. • Place 75 mm compacted gravel base.	2	Welcome To Sekhukhune District Municipality Fetakgomo Tubatse Local Municipality Platinum Stream Tourism Route	Border Sekhukhune District Municipality and Capricorn District Municipality (R36)
 Place 75 mm compacted gravel base. Position poles vertically (plumb within 2° tolerance). Backfill with Class B concrete mix (20 MPa), 	2	Thank You for Visiting Sekhukhune District Municipality	Border Sekhukhune District Municipality and Capricorn District Municipality (R36)
tamping in layers. Sign Mounting • Attach Unistrut channels to poles at sign centerline height (recommend 2 500 mm above	2	Welcome To Sekhukhune District Municipality Elias Motsoaledi Local Municipality Mafulo a Matala Tourism Route	Border Sekhukhune District Municipality and Mpumalanga (R25)
ground to sign center). Secure sign panels with Unistruts and clamps, tightening bolts to 15 Nm. Check that sign faces are vertically aligned and	2	Thank You for Visiting Sekhukhune District Municipality	Border Sekhukhune District Municipality and Mpumalanga (R25)
free of twist. Final Checks Verify overall height, lateral alignment and tilt.			

- Clean all surfaces of dirt, fingerprints and smears.
 - Restore site and compact excavations.

Quality Assurance & Testing

- Material Certificates: Submit manufacturer's certificates for sheeting, steel panels and timber poles.
- Reflectivity Test: Sample test to confirm Class 3 retroreflection per ASTM D4956.
- Torque Verification: Random bolt torque checks.
- Visual Inspection: No scratches, bubbles or misalignment.

Health, Safety & Environment

- All works to comply with the Occupational Health and Safety Act, 1993.
- Traffic management plan to be in place during installation.
- Waste steel, packaging and concrete spoil to be removed and disposed of at licensed facility.

NB: A Compulsory Site Inspection will be conducted at the following location described by the GPS coordinates below: -25,3084620, 20,1513150 (Near R25)

Fully Completed quotation documents, Priced, and initialed each page must be placed in a sealed envelope and marked (REQUEST FOR QUOTATIONS FOR THE SUPPLY AND INSTALLATION OF DISTRICT WELCOME AND THANK YOU SIGNAGES.) deposited in a tender box at Groblersdal Fire Station by no later than 11h00 on 03 June 2025. For further information, contact Voster Masemola of SCM on 013 262 7656 or Nchabeleng Cleopas of Planning on 013 262 7300

Please note:

The following returnable documents are compulsory and will lead to disqualification if not attached.

- Tax Compliance Status Pin/Tax Clearance Certificate
- Valid Copy of Company Registration documents

- Original Certified ID copies of Directors (Not older than 3 months)
- Proof of municipal rates and taxes for both company and Director(s) not in arrears for more than three months or proof of lease agreement including rates for the landlord. In case where the Company or Director is registered in a rural area where the rates are not paid, please attach proof from Local Authority and affidavit under oath indicating that there are no municipal rates payable.
- MBD 4, MBD 8, MBD 9 and MBD 6.1 forms must be signed and attached with quotation.
- CSD Summary Report.
- Any alterations must be signed. ((NB: not initialed)
- Telegraphic, facsimile, e-mailed, Copy and telex bids will be not accepted.
- No late bids will be accepted.

Evaluation Criteria

 A preferential points system shall apply whereby the points will be allocated in accordance with the Preferential procurement Regulations of 2022, where 80 points will be allocated in respect of price and 20 points in respect of preference points claimed for attainment of other specified goals summarized as follows:

HDI SPECIFIC GOALS	POINTS
HDI (Blacks, Indians and Coloureds)	12
Woman-Ownership of more than 50%	2
Disability ownership of more than 50%(Physically impaired)	2
Youth	2
Locality	2
Total	20

Mr. KGWALE M.M/ MUNICIPAL MANAGER Date /