

# **SEKHUKHUNE**

## District Municipality

Private Bag X **8611**, **Groblersdal** 0470 **No:** 03 West Street, Groblersdal **0470 Tel:** (013) 262 7300 **Fax:** (013) 262 3688

### SK8/2/1-124/2021/2022

ITEM	DESCRIPTION	QUANTITY
1	Flocculants (Suid-floc 3456)	5 000L

Completed quotation documents, fully priced, initialled or signed must be sealed in an envelope marked, numbered and named (Appointment of Service Provider to Supply and Deliver of Flocculants (Suid-floc 3456) for Masemola Water Plant) should be deposited in the tender box situated at Groblersdal Fire Station Office of Sekhukhune District Municipality on or before 21st December 2021 at 12:00. For further information contact Voster Masemola at 013 262 7656 and Ramadje K.M at 013 262 7300. No compulsory briefing sessions will be held.

#### Please Note:

The following returnable documents are compulsory except the BBBEE certificate and will lead to disqualification if not attached

- Valid Tax pin/Tax clearance Certificate is Compulsory.
- · Copies of Company Registration documents are Compulsory.
- Certified Copy of B-BBEE Verification certificate or Sworn Affidavit for BBBEE Exempted Micro Enterprises (Required for Evaluation)
- Proof of municipal rates and taxes for both company and Director (s) not in arrears for more than three months or proof of lease agreement
  including rates for the landlord. In case where the Company or Director is registered in a rural area where the rates are not paid, please attach
  proof from Local Authority and Affidavit under oath indicating that there are no municipal rates payable. (Compulsory)
- · Certified ID copies of the directors
- MBD 4, MBD 8 and MBD 9 forms must be signed and attached with quotation.
- CSD report (Compulsory)
- Quotation Addressed to Sekhukhune District Municipality
- No late, Telegraphic, Facsimile, E-mail and Telex bids will be accepted.

#### **Evaluation Criteria**

• This will be evaluated in terms of the **80/20** points scoring system.

Ms. M Ntshudisane Municipal Manager

